




SDC

Wye-Delta Starting
Booster Sets





EBITT was born from “an idea” and turned into “an ideal”

EBITT is a specialized organization with deep expertise in pump and fluid technologies, capable of accurately interpreting both Turkish and global market demands and translating them into the right solutions.

Founded to be the ideal intersection of supply and demand in fluid technologies, EBITT goes beyond developing and marketing products. It represents a holistic business model built to meet expectations at the highest level.

More than a company, EBITT is a perspective, a system, and a spirit. Its foundation is human capital and accumulated expertise, transferred sustainably like a relay race rather than treated as a traditional capital asset.

For EBITT, innovation is not limited to technological advancement. It is a creative, value-driven approach that prioritizes responsibility, customer expectations, business efficiency, and uncompromising standards for health and safety. Every innovation emerges from this integrated understanding.


Quality, for EBITT, is a non-negotiable standard in all areas involving water and fluids—throughout life. Together with its suppliers, customers, and team members who share this philosophy, EBITT builds long-term, sustainable win-win relationships.

With this mindset, EBITT offers a wide range of products and systems, from basic solutions to process-specific equipment, serving residential, industrial, agricultural, irrigation, pool, treatment, and specialized applications. Beyond standard products, EBITT also delivers tailor-made solutions that maximize added value.

EBITT believes the ideal solution is not always the most expensive one, but the most rational—optimizing needs in the most efficient way.

Positioning itself as a trusted solution provider, EBITT stands out with its values, flexibility, and dynamic structure, ready to respond to evolving demands.

SDC

WYE-DELTA STARTING
BOOSTER SETS**SDC**

- All pumps are on common baseplate
- Each pump has its own inlet/outlet valves and check valves.
- Wye-delta starting control panel included.
- Pressure sensor, manometer, dry run protection included.
- Manifolds are in steel with epoxy coating. Stainless steel manifolds are on request.

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
SDC1 MVS 1610/11	3	400	11	15	18	110-140	2"	2"
SDC1 MVS 1612/11	3	400	11	15	18	130-150	2"	2"
SDC1 MVS 1614/15	3	400	15	20	18	145-165	2"	2"
SDC1 MVS 1616/15	3	400	15	20	18	170-190	2"	2"
SDC1 MVS 2008/11	3	400	11	15	20	90-110	2"	2"
SDC1 MVS 2010/11	3	400	11	15	20	110-130	2"	2"
SDC1 MVS 2012/15	3	400	15	20	20	140-160	2"	2"
SDC1 MVS 2014/15	3	400	15	20	20	170-190	2"	2"
SDC1 MVS 2017/18,5	3	400	18,5	25	20	200-220	2"	2"
SDC1 MVS 3205/11	3	400	11	15	32	70-90	DN65	DN65
SDC1 MVS 3206/11	3	400	11	15	32	60-80	DN65	DN65
SDC1 MVS 3207/15	3	400	15	20	32	80-100	DN65	DN65
SDC1 MVS 3208/15	3	400	15	20	32	110-130	DN65	DN65
SDC1 MVS 3209/18,5	3	400	18,5	25	32	130-150	DN65	DN65
SDC1 MVS 3210/18,5	3	400	18,5	25	32	150-170	DN65	DN65
SDC1 MVS 3211/22	3	400	22	30	32	160-180	DN65	DN65
SDC1 MVS 3212/22	3	400	22	30	32	170-190	DN65	DN65
SDC1 MVS 3213/30	3	400	30	40	32	180-200	DN65	DN65
SDC1 MVS 3214/30	3	400	30	40	32	200-220	DN65	DN65
SDC1 MVS 3215/30	3	400	30	40	32	210-230	DN65	DN65
SDC1 MVS 3216/30	3	400	30	40	32	230-250	DN65	DN65
SDC1 MVS 4203/11	3	400	11	15	45	55-75	DN80	DN80
SDC1 MVS 4204/15	3	400	15	20	45	75-95	DN80	DN80
SDC1 MVS 4205/18,5	3	400	18,5	25	45	110-130	DN80	DN80
SDC1 MVS 4206/22	3	400	22	30	45	120-140	DN80	DN80
SDC1 MVS 4207/30	3	400	30	40	45	130-150	DN80	DN80
SDC1 MVS 4208/30	3	400	30	40	45	150-170	DN80	DN80
SDC1 MVS 4209/37	3	400	37	50	45	170-190	DN80	DN80
SDC1 MVS 4210/37	3	400	37	50	45	190-210	DN80	DN80
SDC1 MVS 4211/45	3	400	45	60	45	210-230	DN80	DN80
SDC1 MVS 4212/45	3	400	45	60	45	230-250	DN80	DN80
SDC1 MVS 4213/45	3	400	45	60	45	240-260	DN80	DN80

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
SDC1 MVS 6502/11	3	400	11	15	64	35-55	DN100	DN100
SDC1 MVS 6503B/15	3	400	15	20	64	50-70	DN100	DN100
SDC1 MVS 6503/18,5	3	400	18,5	25	64	60-80	DN100	DN100
SDC1 MVS 6504A/18,5	3	400	18,5	25	64	70-90	DN100	DN100
SDC1 MVS 6504B/22	3	400	22	30	64	80-100	DN100	DN100
SDC1 MVS 6504/22	3	400	22	30	64	85-105	DN100	DN100
SDC1 MVS 6505B/30	3	400	30	40	64	90-110	DN100	DN100
SDC1 MVS 6505/30	3	400	30	40	64	100-120	DN100	DN100
SDC1 MVS 6506A/30	3	400	30	40	64	110-130	DN100	DN100
SDC1 MVS 6506B/37	3	400	37	50	64	120-140	DN100	DN100
SDC1 MVS 6506/37	3	400	37	50	64	130-150	DN100	DN100
SDC1 MVS 6507B/37	3	400	37	50	64	140-160	DN100	DN100
SDC1 MVS 6507/45	3	400	45	60	64	150-170	DN100	DN100
SDC1 MVS 6508B/45	3	400	45	60	64	160-180	DN100	DN100
SDC1 MVS 6508/45	3	400	45	60	64	170-190	DN100	DN100
SDC1 MVS 8502B/11	3	400	11	15	90	25-40	DN100	DN100
SDC1 MVS 8502/15	3	400	15	20	90	40-60	DN100	DN100
SDC1 MVS 8503B/18,5	3	400	18,5	25	90	50-70	DN100	DN100
SDC1 MVS 8503/22	3	400	22	30	90	60-80	DN100	DN100
SDC1 MVS 8504B/30	3	400	30	40	90	70-90	DN100	DN100
SDC1 MVS 8504/30	3	400	30	40	90	85-105	DN100	DN100
SDC1 MVS 8505B/37	3	400	37	50	90	95-115	DN100	DN100
SDC1 MVS 8505/37	3	400	37	50	90	110-130	DN100	DN100
SDC1 MVS 8506B/45	3	400	45	60	90	120-140	DN100	DN100
SDC1 MVS 8506/45	3	400	45	60	90	130-150	DN100	DN100
SDC2 MVS 1610/11	3	400	2 x 11	2 x 15	2 x 18	110-140	2 1/2"	2 1/2"
SDC2 MVS 1612/11	3	400	2 x 11	2 x 15	2 x 18	130-150	2 1/2"	2 1/2"
SDC2 MVS 1614/15	3	400	2 x 15	2 x 20	2 x 18	145-165	2 1/2"	2 1/2"
SDC2 MVS 1616/15	3	400	2 x 15	2 x 20	2 x 18	170-190	2 1/2"	2 1/2"
SDC2 MVS 2008/11	3	400	2 x 11	2 x 15	2 x 20	90-110	2 1/2"	2 1/2"
SDC2 MVS 2010/11	3	400	2 x 11	2 x 15	2 x 20	110-130	2 1/2"	2 1/2"
SDC2 MVS 2012/15	3	400	2 x 15	2 x 20	2 x 20	140-160	2 1/2"	2 1/2"
SDC2 MVS 2014/15	3	400	2 x 15	2 x 20	2 x 20	170-190	2 1/2"	2 1/2"
SDC2 MVS 2017/18,5	3	400	2 x 18,5	2 x 25	2 x 20	200-220	2 1/2"	2 1/2"
SDC2 MVS 3205/11	3	400	2 x 11	2 x 15	2 x 32	70-90	DN100	DN100
SDC2 MVS 3206/11	3	400	2 x 11	2 x 15	2 x 32	60-80	DN100	DN100
SDC2 MVS 3207/15	3	400	2 x 15	2 x 20	2 x 32	80-100	DN100	DN100
SDC2 MVS 3208/15	3	400	2 x 15	2 x 20	2 x 32	110-130	DN100	DN100
SDC2 MVS 3209/18,5	3	400	2 x 18,5	2 x 25	2 x 32	130-150	DN100	DN100
SDC2 MVS 3210/18,5	3	400	2 x 18,5	2 x 25	2 x 32	150-170	DN100	DN100
SDC2 MVS 3211/22	3	400	2 x 22	2 x 30	2 x 32	160-180	DN100	DN100
SDC2 MVS 3212/22	3	400	2 x 22	2 x 30	2 x 32	170-190	DN100	DN100
SDC2 MVS 3213/30	3	400	2 x 30	2 x 40	2 x 32	180-200	DN100	DN100
SDC2 MVS 3214/30	3	400	2 x 30	2 x 40	2 x 32	200-220	DN100	DN100
SDC2 MVS 3215/30	3	400	2 x 30	2 x 40	2 x 32	210-230	DN100	DN100
SDC2 MVS 3216/30	3	400	2 x 30	2 x 40	2 x 32	230-250	DN100	DN100

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
SDC2 MVS 4203/11	3	400	2 x 11	2 x 15	2 x 45	55-75	DN125	DN125
SDC2 MVS 4204/15	3	400	2 x 15	2 x 20	2 x 45	75-95	DN125	DN125
SDC2 MVS 4205/18,5	3	400	2 x 18,5	2 x 25	2 x 45	110-130	DN125	DN125
SDC2 MVS 4206/22	3	400	2 x 22	2 x 30	2 x 45	120-140	DN125	DN125
SDC2 MVS 4207/30	3	400	2 x 30	2 x 40	2 x 45	130-150	DN125	DN125
SDC2 MVS 4208/30	3	400	2 x 30	2 x 40	2 x 45	150-170	DN125	DN125
SDC2 MVS 4209/37	3	400	2 x 37	2 x 50	2 x 45	170-190	DN125	DN125
SDC2 MVS 4210/37	3	400	2 x 37	2 x 50	2 x 45	190-210	DN125	DN125
SDC2 MVS 4211/45	3	400	2 x 45	2 x 60	2 x 45	210-230	DN125	DN125
SDC2 MVS 4212/45	3	400	2 x 45	2 x 60	2 x 45	230-250	DN125	DN125
SDC2 MVS 4213/45	3	400	2 x 45	2 x 60	2 x 45	240-260	DN125	DN125
SDC2 MVS 6502/11	3	400	2 x 11	2 x 15	2 x 64	35-55	DN150	DN150
SDC2 MVS 6503B/15	3	400	2 x 15	2 x 20	2 x 64	50-70	DN150	DN150
SDC2 MVS 6503/18,5	3	400	2 x 18,5	2 x 25	2 x 64	60-80	DN150	DN150
SDC2 MVS 6504A/18,5	3	400	2 x 18,5	2 x 25	2 x 64	70-90	DN150	DN150
SDC2 MVS 6504B/22	3	400	2 x 22	2 x 30	2 x 64	80-100	DN150	DN150
SDC2 MVS 6504/22	3	400	2 x 22	2 x 30	2 x 64	85-105	DN150	DN150
SDC2 MVS 6505B/30	3	400	2 x 30	2 x 40	2 x 64	90-110	DN150	DN150
SDC2 MVS 6505/30	3	400	2 x 30	2 x 40	2 x 64	100-120	DN150	DN150
SDC2 MVS 6506A/30	3	400	2 x 30	2 x 40	2 x 64	110-130	DN150	DN150
SDC2 MVS 6506B/37	3	400	2 x 37	2 x 50	2 x 64	120-140	DN150	DN150
SDC2 MVS 6506/37	3	400	2 x 37	2 x 50	2 x 64	130-150	DN150	DN150
SDC2 MVS 6507B/37	3	400	2 x 37	2 x 50	2 x 64	140-160	DN150	DN150
SDC2 MVS 6507/45	3	400	2 x 45	2 x 60	2 x 64	150-170	DN150	DN150
SDC2 MVS 6508B/45	3	400	2 x 45	2 x 60	2 x 64	160-180	DN150	DN150
SDC2 MVS 6508/45	3	400	2 x 45	2 x 60	2 x 64	170-190	DN150	DN150
SDC2 MVS 8502B/11	3	400	2 x 11	2 x 15	2 x 90	25-40	DN200	DN200
SDC2 MVS 8502/15	3	400	2 x 15	2 x 20	2 x 90	40-60	DN200	DN200
SDC2 MVS 8503B/18,5	3	400	2 x 18,5	2 x 25	2 x 90	50-70	DN200	DN200
SDC2 MVS 8503/22	3	400	2 x 22	2 x 30	2 x 90	60-80	DN200	DN200
SDC2 MVS 8504B/30	3	400	2 x 30	2 x 40	2 x 90	70-90	DN200	DN200
SDC2 MVS 8504/30	3	400	2 x 30	2 x 40	2 x 90	85-105	DN200	DN200
SDC2 MVS 8505B/37	3	400	2 x 37	2 x 50	2 x 90	95-115	DN200	DN200
SDC2 MVS 8505/37	3	400	2 x 37	2 x 50	2 x 90	110-130	DN200	DN200
SDC2 MVS 8506B/45	3	400	2 x 45	2 x 60	2 x 90	120-140	DN200	DN200
SDC2 MVS 8506/45	3	400	2 x 45	2 x 60	2 x 90	130-150	DN200	DN200
SDC3 MVS 1610/11	3	400	3 x 11	3 x 15	3 x 18	110-140	3"	3"
SDC3 MVS 1612/11	3	400	3 x 11	3 x 15	3 x 18	130-150	3"	3"
SDC3 MVS 1614/15	3	400	3 x 15	3 x 20	3 x 18	145-165	3"	3"
SDC3 MVS 1616/15	3	400	3 x 15	3 x 20	3 x 18	170-190	3"	3"
SDC3 MVS 2008/11	3	400	3 x 11	3 x 15	3 x 20	90-110	3"	3"
SDC3 MVS 2010/11	3	400	3 x 11	3 x 15	3 x 20	110-130	3"	3"
SDC3 MVS 2012/15	3	400	3 x 15	3 x 20	3 x 20	140-160	3"	3"
SDC3 MVS 2014/15	3	400	3 x 15	3 x 20	3 x 20	170-190	3"	3"
SDC3 MVS 2017/18,5	3	400	3 x 18,5	3 x 25	3 x 20	200-220	3"	3"

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
SDC3 MVS 3205/11	3	400	3 x 11	3 x 15	3 x 32	70-90	DN125	DN125
SDC3 MVS 3206/11	3	400	3 x 11	3 x 15	3 x 32	60-80	DN125	DN125
SDC3 MVS 3207/15	3	400	3 x 15	3 x 20	3 x 32	80-100	DN125	DN125
SDC3 MVS 3208/15	3	400	3 x 15	3 x 20	3 x 32	110-130	DN125	DN125
SDC3 MVS 3209/18,5	3	400	3 x 18,5	3 x 25	3 x 32	130-150	DN125	DN125
SDC3 MVS 3210/18,5	3	400	3 x 18,5	3 x 25	3 x 32	150-170	DN125	DN125
SDC3 MVS 3211/22	3	400	3 x 22	3 x 30	3 x 32	160-180	DN125	DN125
SDC3 MVS 3212/22	3	400	3 x 22	3 x 30	3 x 32	170-190	DN125	DN125
SDC3 MVS 3213/30	3	400	3 x 30	3 x 40	3 x 32	180-200	DN125	DN125
SDC3 MVS 3214/30	3	400	3 x 30	3 x 40	3 x 32	200-220	DN125	DN125
SDC3 MVS 3215/30	3	400	3 x 30	3 x 40	3 x 32	210-230	DN125	DN125
SDC3 MVS 3216/30	3	400	3 x 30	3 x 40	3 x 32	230-250	DN125	DN125
SDC3 MVS 4203/11	3	400	3 x 11	3 x 15	3 x 45	55-75	DN150	DN150
SDC3 MVS 4204/15	3	400	3 x 15	3 x 20	3 x 45	75-95	DN150	DN150
SDC3 MVS 4205/18,5	3	400	3 x 18,5	3 x 25	3 x 45	110-130	DN150	DN150
SDC3 MVS 4206/22	3	400	3 x 22	3 x 30	3 x 45	120-140	DN150	DN150
SDC3 MVS 4207/30	3	400	3 x 30	3 x 40	3 x 45	130-150	DN150	DN150
SDC3 MVS 4208/30	3	400	3 x 30	3 x 40	3 x 45	150-170	DN150	DN150
SDC3 MVS 4209/37	3	400	3 x 37	3 x 50	3 x 45	170-190	DN150	DN150
SDC3 MVS 4210/37	3	400	3 x 37	3 x 50	3 x 45	190-210	DN150	DN150
SDC3 MVS 4211/45	3	400	3 x 45	3 x 60	3 x 45	210-230	DN150	DN150
SDC3 MVS 4212/45	3	400	3 x 45	3 x 60	3 x 45	230-250	DN150	DN150
SDC3 MVS 4213/45	3	400	3 x 45	3 x 60	3 x 45	240-260	DN150	DN150
SDC3 MVS 6502/11	3	400	3 x 11	3 x 15	3 x 64	35-55	DN200	DN200
SDC3 MVS 6503B/15	3	400	3 x 15	3 x 20	3 x 64	50-70	DN200	DN200
SDC3 MVS 6503/18,5	3	400	3 x 18,5	3 x 25	3 x 64	60-80	DN200	DN200
SDC3 MVS 6504A/18,5	3	400	3 x 18,5	3 x 25	3 x 64	70-90	DN200	DN200
SDC3 MVS 6504B/22	3	400	3 x 22	3 x 30	3 x 64	80-100	DN200	DN200
SDC3 MVS 6504/22	3	400	3 x 22	3 x 30	3 x 64	85-105	DN200	DN200
SDC3 MVS 6505B/30	3	400	3 x 30	3 x 40	3 x 64	90-110	DN200	DN200
SDC3 MVS 6505/30	3	400	3 x 30	3 x 40	3 x 64	100-120	DN200	DN200
SDC3 MVS 6506A/30	3	400	3 x 30	3 x 40	3 x 64	110-130	DN200	DN200
SDC3 MVS 6506B/37	3	400	3 x 37	3 x 50	3 x 64	120-140	DN200	DN200
SDC3 MVS 6506/37	3	400	3 x 37	3 x 50	3 x 64	130-150	DN200	DN200
SDC3 MVS 6507B/37	3	400	3 x 37	3 x 50	3 x 64	140-160	DN200	DN200
SDC3 MVS 6507/45	3	400	3 x 45	3 x 60	3 x 64	150-170	DN200	DN200
SDC3 MVS 6508B/45	3	400	3 x 45	3 x 60	3 x 64	160-180	DN200	DN200
SDC3 MVS 6508/45	3	400	3 x 45	3 x 60	3 x 64	170-190	DN200	DN200

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
SDC3 MVS 8502B/11	3	400	3 x 11	3 x 15	3 x 90	25-40	DN200	DN200
SDC3 MVS 8502/15	3	400	3 x 15	3 x 20	3 x 90	40-60	DN200	DN200
SDC3 MVS 8503B/18,5	3	400	3 x 18,5	3 x 25	3 x 90	50-70	DN200	DN200
SDC3 MVS 8503/22	3	400	3 x 22	3 x 30	3 x 90	60-80	DN200	DN200
SDC3 MVS 8504B/30	3	400	3 x 30	3 x 40	3 x 90	70-90	DN200	DN200
SDC3 MVS 8504/30	3	400	3 x 30	3 x 40	3 x 90	85-105	DN200	DN200
SDC3 MVS 8505B/37	3	400	3 x 37	3 x 50	3 x 90	95-115	DN200	DN200
SDC3 MVS 8505/37	3	400	3 x 37	3 x 50	3 x 90	110-130	DN200	DN200
SDC3 MVS 8506B/45	3	400	3 x 45	3 x 60	3 x 90	120-140	DN200	DN200
SDC3 MVS 8506/45	3	400	3 x 45	3 x 60	3 x 90	130-150	DN200	DN200
SDC4 MVS 404/0,75	3	400	4 x 0,75	4 x 1	4 x 5	20-35	2 1/2"	2 1/2"
SDC4 MVS 405/1,1	3	400	4 x 1,1	4 x 1,5	4 x 5	25-45	2 1/2"	2 1/2"
SDC4 MVS 406/1,1	3	400	4 x 1,1	4 x 1,5	4 x 5	35-55	2 1/2"	2 1/2"
SDC4 MVS 407/1,5	3	400	4 x 1,5	4 x 2	4 x 5	45-65	2 1/2"	2 1/2"
SDC4 MVS 408/1,5	3	400	4 x 1,5	4 x 2	4 x 5	55-75	2 1/2"	2 1/2"
SDC4 MVS 410/2,2	3	400	4 x 2,2	4 x 3	4 x 5	75-95	2 1/2"	2 1/2"
SDC4 MVS 412/2,2	3	400	4 x 2,2	4 x 3	4 x 5	85-105	2 1/2"	2 1/2"
SDC4 MVS 414/3	3	400	4 x 3	4 x 4	4 x 5	100-120	2 1/2"	2 1/2"
SDC4 MVS 416/3	3	400	4 x 3	4 x 4	4 x 5	110-130	2 1/2"	2 1/2"
SDC4 MVS 419/4	3	400	4 x 4	4 x 5,5	4 x 5	130-150	2 1/2"	2 1/2"
SDC4 MVS 422/4	3	400	4 x 4	4 x 5,5	4 x 5	160-180	2 1/2"	2 1/2"
SDC4 MVS 1003/1,1	3	400	4 x 1,1	4 x 1,5	4 x 10	20-32	3"	3"
SDC4 MVS 1004/1,5	3	400	4 x 1,5	4 x 2	4 x 10	28-40	3"	3"
SDC4 MVS 1005/2,2	3	400	4 x 2,2	4 x 3	4 x 10	35-50	3"	3"
SDC4 MVS 1006/2,2	3	400	4 x 2,2	4 x 3	4 x 10	40-58	3"	3"
SDC4 MVS 1007/3	3	400	4 x 3	4 x 4	4 x 10	50-70	3"	3"
SDC4 MVS 1008/3	3	400	4 x 3	4 x 4	4 x 10	60-80	3"	3"
SDC4 MVS 1009/3	3	400	4 x 3	4 x 4	4 x 10	70-90	3"	3"
SDC4 MVS 1010/4	3	400	4 x 4	4 x 5,5	4 x 10	80-100	3"	3"
SDC4 MVS 1012/4	3	400	4 x 4	4 x 5,5	4 x 10	95-115	3"	3"
SDC4 MVS 1014/5,5	3	400	4 x 5,5	4 x 7,5	4 x 10	110-130	3"	3"
SDC4 MVS 1016/5,5	3	400	4 x 5,5	4 x 7,5	4 x 10	125-145	3"	3"
SDC4 MVS 1018/7,5	3	400	4 x 7,5	4 x 10	4 x 10	140-160	3"	3"
SDC4 MVS 1020/7,5	3	400	4 x 7,5	4 x 10	4 x 10	160-180	3"	3"
SDC4 MVS 1022/7,5	3	400	4 x 7,5	4 x 10	4 x 10	180-200	3"	3"
SDC4 MVS 1603/3	3	400	4 x 3	4 x 4	4 x 18	25-40	DN100	DN100
SDC4 MVS 1604/4	3	400	4 x 4	4 x 5,5	4 x 18	35-55	DN100	DN100
SDC4 MVS 1605/5,5	3	400	4 x 5,5	4 x 7,5	4 x 18	50-70	DN100	DN100
SDC4 MVS 1606/5,5	3	400	4 x 5,5	4 x 7,5	4 x 18	60-80	DN100	DN100
SDC4 MVS 1607/7,5	3	400	4 x 7,5	4 x 10	4 x 18	75-95	DN100	DN100
SDC4 MVS 1608/7,5	3	400	4 x 7,5	4 x 10	4 x 18	90-110	DN100	DN100
SDC4 MVS 1610/11	3	400	4 x 11	4 x 15	4 x 18	110-140	DN100	DN100
SDC4 MVS 1612/11	3	400	4 x 11	4 x 15	4 x 18	130-150	DN100	DN100
SDC4 MVS 1614/15	3	400	4 x 15	4 x 20	4 x 18	145-165	DN100	DN100
SDC4 MVS 1616/15	3	400	4 x 15	4 x 20	4 x 18	170-190	DN100	DN100

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
SDC3 MVS 8502B/11	3	400	3 x 11	3 x 15	3 x 90	25-40	DN200	DN200
SDC3 MVS 8502/15	3	400	3 x 15	3 x 20	3 x 90	40-60	DN200	DN200
SDC3 MVS 8503B/18,5	3	400	3 x 18,5	3 x 25	3 x 90	50-70	DN200	DN200
SDC3 MVS 8503/22	3	400	3 x 22	3 x 30	3 x 90	60-80	DN200	DN200
SDC3 MVS 8504B/30	3	400	3 x 30	3 x 40	3 x 90	70-90	DN200	DN200
SDC3 MVS 8504/30	3	400	3 x 30	3 x 40	3 x 90	85-105	DN200	DN200
SDC3 MVS 8505B/37	3	400	3 x 37	3 x 50	3 x 90	95-115	DN200	DN200
SDC3 MVS 8505/37	3	400	3 x 37	3 x 50	3 x 90	110-130	DN200	DN200
SDC3 MVS 8506B/45	3	400	3 x 45	3 x 60	3 x 90	120-140	DN200	DN200
SDC3 MVS 8506/45	3	400	3 x 45	3 x 60	3 x 90	130-150	DN200	DN200
SDC4 MVS 2003/4	3	400	4 x 4	4 x 5,5	4 x 20	25-37	DN100	DN100
SDC4 MVS 2004/5,5	3	400	4 x 5,5	4 x 7,5	4 x 20	38-52	DN100	DN100
SDC4 MVS 2005/5,5	3	400	4 x 5,5	4 x 7,5	4 x 20	45-65	DN100	DN100
SDC4 MVS 2006/7,5	3	400	4 x 7,5	4 x 10	4 x 20	60-80	DN100	DN100
SDC4 MVS 2007/7,5	3	400	4 x 7,5	4 x 10	4 x 20	70-90	DN100	DN100
SDC4 MVS 2008/11	3	400	4 x 11	4 x 15	4 x 20	90-110	DN100	DN100
SDC4 MVS 2010/11	3	400	4 x 11	4 x 15	4 x 20	110-130	DN100	DN100
SDC4 MVS 2012/15	3	400	4 x 15	4 x 20	4 x 20	140-160	DN100	DN100
SDC4 MVS 2014/15	3	400	4 x 15	4 x 20	4 x 20	170-190	DN100	DN100
SDC4 MVS 2017/18,5	3	400	4 x 18,5	4 x 25	4 x 20	200-220	DN100	DN100
SDC4 MVS 3202/4	3	400	4 x 4	4 x 5,5	4 x 32	20-40	DN125	DN125
SDC4 MVS 3203/5,5	3	400	4 x 5,5	4 x 7,5	4 x 32	35-55	DN125	DN125
SDC4 MVS 3204/7,5	3	400	4 x 7,5	4 x 10	4 x 32	50-70	DN125	DN125
SDC4 MVS 3205/11	3	400	4 x 11	4 x 15	4 x 32	70-90	DN125	DN125
SDC4 MVS 3206/11	3	400	4 x 11	4 x 15	4 x 32	60-80	DN125	DN125
SDC4 MVS 3207/15	3	400	4 x 15	4 x 20	4 x 32	80-100	DN125	DN125
SDC4 MVS 3208/15	3	400	4 x 15	4 x 20	4 x 32	110-130	DN125	DN125
SDC4 MVS 3209/18,5	3	400	4 x 18,5	4 x 25	4 x 32	130-150	DN125	DN125
SDC4 MVS 3210/18,5	3	400	4 x 18,5	4 x 25	4 x 32	150-170	DN125	DN125
SDC4 MVS 3211/22	3	400	4 x 22	4 x 30	4 x 32	160-180	DN125	DN125
SDC4 MVS 3212/22	3	400	4 x 22	4 x 30	4 x 32	170-190	DN125	DN125
SDC4 MVS 3213/30	3	400	4 x 30	4 x 40	4 x 32	180-200	DN125	DN125
SDC4 MVS 3214/30	3	400	4 x 30	4 x 40	4 x 32	200-220	DN125	DN125
SDC4 MVS 3215/30	3	400	4 x 30	4 x 40	4 x 32	210-230	DN125	DN125
SDC4 MVS 3216/30	3	400	4 x 30	4 x 40	4 x 32	230-250	DN125	DN125
SDC4 MVS 4203/11	3	400	4 x 11	4 x 15	4 x 45	55-75	DN150	DN150
SDC4 MVS 4204/15	3	400	4 x 15	4 x 20	4 x 45	75-95	DN150	DN150
SDC4 MVS 4205/18,5	3	400	4 x 18,5	4 x 25	4 x 45	110-130	DN150	DN150
SDC4 MVS 4206/22	3	400	4 x 22	4 x 30	4 x 45	120-140	DN150	DN150
SDC4 MVS 4207/30	3	400	4 x 30	4 x 40	4 x 45	130-150	DN150	DN150
SDC4 MVS 4208/30	3	400	4 x 30	4 x 40	4 x 45	150-170	DN150	DN150
SDC4 MVS 4209/37	3	400	4 x 37	4 x 50	4 x 45	170-190	DN150	DN150
SDC4 MVS 4210/37	3	400	4 x 37	4 x 50	4 x 45	190-210	DN150	DN150
SDC4 MVS 4211/45	3	400	4 x 45	4 x 60	4 x 45	210-230	DN150	DN150
SDC4 MVS 4212/45	3	400	4 x 45	4 x 60	4 x 45	230-250	DN150	DN150
SDC4 MVS 4213/45	3	400	4 x 45	4 x 60	4 x 45	240-260	DN150	DN150

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
SDC4 MVS 6502/11	3	400	4 x 11	4 x 15	4 x 64	35-55	DN200	DN200
SDC4 MVS 6503B/15	3	400	4 x 15	4 x 20	4 x 64	50-70	DN200	DN200
SDC4 MVS 6503/18,5	3	400	4 x 18,5	4 x 25	4 x 64	60-80	DN200	DN200
SDC4 MVS 6504A/18,5	3	400	4 x 18,5	4 x 25	4 x 64	70-90	DN200	DN200
SDC4 MVS 6504B/22	3	400	4 x 22	4 x 30	4 x 64	80-100	DN200	DN200
SDC4 MVS 6504/22	3	400	4 x 22	4 x 30	4 x 64	85-105	DN200	DN200
SDC4 MVS 6505B/30	3	400	4 x 30	4 x 40	4 x 64	90-110	DN200	DN200
SDC4 MVS 6505/30	3	400	4 x 30	4 x 40	4 x 64	100-120	DN200	DN200
SDC4 MVS 6506A/30	3	400	4 x 30	4 x 40	4 x 64	110-130	DN200	DN200
SDC4 MVS 6506B/37	3	400	4 x 37	4 x 50	4 x 64	120-140	DN200	DN200
SDC4 MVS 6506/37	3	400	4 x 37	4 x 50	4 x 64	130-150	DN200	DN200
SDC4 MVS 6507B/37	3	400	4 x 37	4 x 50	4 x 64	140-160	DN200	DN200
SDC4 MVS 6507/45	3	400	4 x 45	4 x 60	4 x 64	150-170	DN200	DN200
SDC4 MVS 6508B/45	3	400	4 x 45	4 x 60	4 x 64	160-180	DN200	DN200
SDC4 MVS 6508/45	3	400	4 x 45	4 x 60	4 x 64	170-190	DN200	DN200
SDC4 MVS 8502B/11	3	400	4 x 11	4 x 15	4 x 90	25-40	DN200	DN200
SDC4 MVS 8502/15	3	400	4 x 15	4 x 20	4 x 90	40-60	DN200	DN200
SDC4 MVS 8503B/18,5	3	400	4 x 18,5	4 x 25	4 x 90	50-70	DN200	DN200
SDC4 MVS 8503/22	3	400	4 x 22	4 x 30	4 x 90	60-80	DN200	DN200
SDC4 MVS 8504B/30	3	400	4 x 30	4 x 40	4 x 90	70-90	DN200	DN200
SDC4 MVS 8504/30	3	400	4 x 30	4 x 40	4 x 90	85-105	DN200	DN200
SDC4 MVS 8505B/37	3	400	4 x 37	4 x 50	4 x 90	95-115	DN200	DN200
SDC4 MVS 8505/37	3	400	4 x 37	4 x 50	4 x 90	110-130	DN200	DN200
SDC4 MVS 8506B/45	3	400	4 x 45	4 x 60	4 x 90	120-140	DN200	DN200
SDC4 MVS 8506/45	3	400	4 x 45	4 x 60	4 x 90	130-150	DN200	DN200
SDC5 MVS 404/0,75	3	400	5 x 0,75	5 x 1	5 x 5	20-35	3"	3"
SDC5 MVS 405/1,1	3	400	5 x 1,1	5 x 1,5	5 x 5	25-45	3"	3"
SDC5 MVS 406/1,1	3	400	5 x 1,1	5 x 1,5	5 x 5	35-55	3"	3"
SDC5 MVS 407/1,5	3	400	5 x 1,5	5 x 2	5 x 5	45-65	3"	3"
SDC5 MVS 408/1,5	3	400	5 x 1,5	5 x 2	5 x 5	55-75	3"	3"
SDC5 MVS 410/2,2	3	400	5 x 2,2	5 x 3	5 x 5	75-95	3"	3"
SDC5 MVS 412/2,2	3	400	5 x 2,2	5 x 3	5 x 5	85-105	3"	3"
SDC5 MVS 414/3	3	400	5 x 3	5 x 4	5 x 5	100-120	3"	3"
SDC5 MVS 416/3	3	400	5 x 3	5 x 4	5 x 5	110-130	3"	3"
SDC5 MVS 419/4	3	400	5 x 4	5 x 5,5	5 x 5	130-150	3"	3"
SDC5 MVS 422/4	3	400	5 x 4	5 x 5,5	5 x 5	160-180	3"	3"

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
SDC5 MVS 1003/1,1	3	400	5 x 1,1	5 x 1,5	5 x 10	20-32	DN100	DN100
SDC5 MVS 1004/1,5	3	400	5 x 1,5	5 x 2	5 x 10	28-40	DN100	DN100
SDC5 MVS 1005/2,2	3	400	5 x 2,2	5 x 3	5 x 10	35-50	DN100	DN100
SDC5 MVS 1006/2,2	3	400	5 x 2,2	5 x 3	5 x 10	40-58	DN100	DN100
SDC5 MVS 1007/3	3	400	5 x 3	5 x 4	5 x 10	50-70	DN100	DN100
SDC5 MVS 1008/3	3	400	5 x 3	5 x 4	5 x 10	60-80	DN100	DN100
SDC5 MVS 1009/3	3	400	5 x 3	5 x 4	5 x 10	70-90	DN100	DN100
SDC5 MVS 1010/4	3	400	5 x 4	5 x 5,5	5 x 10	80-100	DN100	DN100
SDC5 MVS 1012/4	3	400	5 x 4	5 x 5,5	5 x 10	95-115	DN100	DN100
SDC5 MVS 1014/5,5	3	400	5 x 5,5	5 x 7,5	5 x 10	110-130	DN100	DN100
SDC5 MVS 1016/5,5	3	400	5 x 5,5	5 x 7,5	5 x 10	125-145	DN100	DN100
SDC5 MVS 1018/7,5	3	400	5 x 7,5	5 x 10	5 x 10	140-160	DN100	DN100
SDC5 MVS 1020/7,5	3	400	5 x 7,5	5 x 10	5 x 10	160-180	DN100	DN100
SDC5 MVS 1022/7,5	3	400	5 x 7,5	5 x 10	5 x 10	180-200	DN100	DN100
SDC5 MVS 1603/3	3	400	5 x 3	5 x 4	5 x 18	25-40	DN100	DN100
SDC5 MVS 1604/4	3	400	5 x 4	5 x 5,5	5 x 18	35-55	DN100	DN100
SDC5 MVS 1605/5,5	3	400	5 x 5,5	5 x 7,5	5 x 18	50-70	DN100	DN100
SDC5 MVS 1606/5,5	3	400	5 x 5,5	5 x 7,5	5 x 18	60-80	DN100	DN100
SDC5 MVS 1607/7,5	3	400	5 x 7,5	5 x 10	5 x 18	75-95	DN100	DN100
SDC5 MVS 1608/7,5	3	400	5 x 7,5	5 x 10	5 x 18	90-110	DN100	DN100
SDC5 MVS 1610/11	3	400	5 x 11	5 x 15	5 x 18	110-140	DN100	DN100
SDC5 MVS 1612/11	3	400	5 x 11	5 x 15	5 x 18	130-150	DN100	DN100
SDC5 MVS 1614/15	3	400	5 x 15	5 x 20	5 x 18	145-165	DN100	DN100
SDC5 MVS 1616/15	3	400	5 x 15	5 x 20	5 x 18	170-190	DN100	DN100
SDC5 MVS 2003/4	3	400	5 x 4	5 x 5,5	5 x 20	25-37	DN125	DN125
SDC5 MVS 2004/5,5	3	400	5 x 5,5	5 x 7,5	5 x 20	38-52	DN125	DN125
SDC5 MVS 2005/5,5	3	400	5 x 5,5	5 x 7,5	5 x 20	45-65	DN125	DN125
SDC5 MVS 2006/7,5	3	400	5 x 7,5	5 x 10	5 x 20	60-80	DN125	DN125
SDC5 MVS 2007/7,5	3	400	5 x 7,5	5 x 10	5 x 20	70-90	DN125	DN125
SDC5 MVS 2008/11	3	400	5 x 11	5 x 15	5 x 20	90-110	DN125	DN125
SDC5 MVS 2010/11	3	400	5 x 11	5 x 15	5 x 20	110-130	DN125	DN125
SDC5 MVS 2012/15	3	400	5 x 15	5 x 20	5 x 20	140-160	DN125	DN125
SDC5 MVS 2014/15	3	400	5 x 15	5 x 20	5 x 20	170-190	DN125	DN125
SDC5 MVS 2017/18,5	3	400	5 x 18,5	5 x 25	5 x 20	200-220	DN125	DN125

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
SDC5 MVS 3202/4	3	400	5 x 4	5 x 5,5	5 x 32	20-40	DN150	DN150
SDC5 MVS 3203/5,5	3	400	5 x 5,5	5 x 7,5	5 x 32	35-55	DN150	DN150
SDC5 MVS 3204/7,5	3	400	5 x 7,5	5 x 10	5 x 32	50-70	DN150	DN150
SDC5 MVS 3205/11	3	400	5 x 11	5 x 15	5 x 32	70-90	DN150	DN150
SDC5 MVS 3206/11	3	400	5 x 11	5 x 15	5 x 32	60-80	DN150	DN150
SDC5 MVS 3207/15	3	400	5 x 15	5 x 20	5 x 32	80-100	DN150	DN150
SDC5 MVS 3208/15	3	400	5 x 15	5 x 20	5 x 32	110-130	DN150	DN150
SDC5 MVS 3209/18,5	3	400	5 x 18,5	5 x 25	5 x 32	130-150	DN150	DN150
SDC5 MVS 3210/18,5	3	400	5 x 18,5	5 x 25	5 x 32	150-170	DN150	DN150
SDC5 MVS 3211/22	3	400	5 x 22	5 x 30	5 x 32	160-180	DN150	DN150
SDC5 MVS 3212/22	3	400	5 x 22	5 x 30	5 x 32	170-190	DN150	DN150
SDC5 MVS 3213/30	3	400	5 x 30	5 x 40	5 x 32	180-200	DN150	DN150
SDC5 MVS 3214/30	3	400	5 x 30	5 x 40	5 x 32	200-220	DN150	DN150
SDC5 MVS 3215/30	3	400	5 x 30	5 x 40	5 x 32	210-230	DN150	DN150
SDC5 MVS 3216/30	3	400	5 x 30	5 x 40	5 x 32	230-250	DN150	DN150
SDC5 MVS 4203/11	3	400	5 x 11	5 x 15	5 x 45	55-75	DN200	DN200
SDC5 MVS 4204/15	3	400	5 x 15	5 x 20	5 x 45	75-95	DN200	DN200
SDC5 MVS 4205/18,5	3	400	5 x 18,5	5 x 25	5 x 45	110-130	DN200	DN200
SDC5 MVS 4206/22	3	400	5 x 22	5 x 30	5 x 45	120-140	DN200	DN200
SDC5 MVS 4207/30	3	400	5 x 30	5 x 40	5 x 45	130-150	DN200	DN200
SDC5 MVS 4208/30	3	400	5 x 30	5 x 40	5 x 45	150-170	DN200	DN200
SDC5 MVS 4209/37	3	400	5 x 37	5 x 50	5 x 45	170-190	DN200	DN200
SDC5 MVS 4210/37	3	400	5 x 37	5 x 50	5 x 45	190-210	DN200	DN200
SDC5 MVS 4211/45	3	400	5 x 45	5 x 60	5 x 45	210-230	DN200	DN200
SDC5 MVS 4212/45	3	400	5 x 45	5 x 60	5 x 45	230-250	DN200	DN200
SDC5 MVS 4213/45	3	400	5 x 45	5 x 60	5 x 45	240-260	DN200	DN200
SDC5 MVS 6502/11	3	400	5 x 11	5 x 15	5 x 64	35-55	DN250	DN250
SDC5 MVS 6503B/15	3	400	5 x 15	5 x 20	5 x 64	50-70	DN250	DN250
SDC5 MVS 6503/18,5	3	400	5 x 18,5	5 x 25	5 x 64	60-80	DN250	DN250
SDC5 MVS 6504A/18,5	3	400	5 x 18,5	5 x 25	5 x 64	70-90	DN250	DN250
SDC5 MVS 6504B/22	3	400	5 x 22	5 x 30	5 x 64	80-100	DN250	DN250
SDC5 MVS 6504/22	3	400	5 x 22	5 x 30	5 x 64	85-105	DN250	DN250
SDC5 MVS 6505B/30	3	400	5 x 30	5 x 40	5 x 64	90-110	DN250	DN250
SDC5 MVS 6505/30	3	400	5 x 30	5 x 40	5 x 64	100-120	DN250	DN250
SDC5 MVS 6506A/30	3	400	5 x 30	5 x 40	5 x 64	110-130	DN250	DN250
SDC5 MVS 6506B/37	3	400	5 x 37	5 x 50	5 x 64	120-140	DN250	DN250
SDC5 MVS 6506/37	3	400	5 x 37	5 x 50	5 x 64	130-150	DN250	DN250
SDC5 MVS 6507B/37	3	400	5 x 37	5 x 50	5 x 64	140-160	DN250	DN250
SDC5 MVS 6507/45	3	400	5 x 45	5 x 60	5 x 64	150-170	DN250	DN250
SDC5 MVS 6508B/45	3	400	5 x 45	5 x 60	5 x 64	160-180	DN250	DN250
SDC5 MVS 6508/45	3	400	5 x 45	5 x 60	5 x 64	170-190	DN250	DN250

Model	Phase	Voltage (V)	Motor Power		Flow (m ³ /h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
SDC5 MVS 8502B/11	3	400	5 x 11	5 x 15	5 x 90	25-40	DN250	DN250
SDC5 MVS 8502/15	3	400	5 x 15	5 x 20	5 x 90	40-60	DN250	DN250
SDC5 MVS 8503B/18,5	3	400	5 x 18,5	5 x 25	5 x 90	50-70	DN250	DN250
SDC5 MVS 8503/22	3	400	5 x 22	5 x 30	5 x 90	60-80	DN250	DN250
SDC5 MVS 8504B/30	3	400	5 x 30	5 x 40	5 x 90	70-90	DN250	DN250
SDC5 MVS 8504/30	3	400	5 x 30	5 x 40	5 x 90	85-105	DN250	DN250
SDC5 MVS 8505B/37	3	400	5 x 37	5 x 50	5 x 90	95-115	DN250	DN250
SDC5 MVS 8505/37	3	400	5 x 37	5 x 50	5 x 90	110-130	DN250	DN250
SDC5 MVS 8506B/45	3	400	5 x 45	5 x 60	5 x 90	120-140	DN250	DN250
SDC5 MVS 8506/45	3	400	5 x 45	5 x 60	5 x 90	130-150	DN250	DN250



EBITT EUROPE KFT

H-6782 Mórahalom, Szegedi út 108. Hungary Phone: +3662-280-926

Fax: +3662-280-927

export@ebitteurope.com

www.ebitteurope.com



EBITTME PUMPS ENGINES VALVES & SPARE

PARTS TRADING CO. L.L.C.

ALSUAIDI, Al Suwaidi Bldg, Al Murar - Deira

P.O. Box 453929 Dubai, UAE

emea@ebitteurope.com

+971 55-454 4187



**EBITT FINDUSTRIE (ZHE JIANG) INDUSTRIAL
ENGINEERING LIMITED COMPANY**

Hangzhou City, Zhejiang Province, China

info@ebitt.com.cn

+86 15168651662

EBITT ASIA PACIFIC PTE LTD

(EAP Singapore)

226 Jalan Eunos #04-128. Singapore 415869 Phone: (65) 98393745

info@ebitt-asiapac.com

EBITT TÜRKİYE

Koçullu Mah. Doğru Sok. No:6 34799 Çekmeköy / İstanbul

info@ebitt.com.tr

www.ebitt.com.tr