




GM SERIES

Submersible Wastewater and
Sewage Pumps





EBITT was born from “an idea” and turned into “an ideal”

EBITT is a specialized organization with deep expertise in pump and fluid technologies, capable of accurately interpreting both Turkish and global market demands and translating them into the right solutions.

Founded to be the ideal intersection of supply and demand in fluid technologies, EBITT goes beyond developing and marketing products. It represents a holistic business model built to meet expectations at the highest level.

More than a company, EBITT is a perspective, a system, and a spirit. Its foundation is human capital and accumulated expertise, transferred sustainably like a relay race rather than treated as a traditional capital asset.

For EBITT, innovation is not limited to technological advancement. It is a creative, value-driven approach that prioritizes responsibility, customer expectations, business efficiency, and uncompromising standards for health and safety. Every innovation emerges from this integrated understanding.

Quality, for EBITT, is a non-negotiable standard in all areas involving water and fluids—throughout life. Together with its suppliers, customers, and team members who share this philosophy, EBITT builds long-term, sustainable win-win relationships.

With this mindset, EBITT offers a wide range of products and systems, from basic solutions to process-specific equipment, serving residential, industrial, agricultural, irrigation, pool, treatment, and specialized applications. Beyond standard products, EBITT also delivers tailor-made solutions that maximize added value.

EBITT believes the ideal solution is not always the most expensive one, but the most rational—optimizing needs in the most efficient way.

Positioning itself as a trusted solution provider, EBITT stands out with its values, flexibility, and dynamic structure, ready to respond to evolving demands.

GM SERIES


SUBMERSIBLE WASTEWATER
AND SEWAGE PUMPS



GM SERIES


- Heavy duty type, cast iron pumps
- Double mechanical seals
- GMN: Semi-open impeller
- GMV: Vortex impeller
- Cable length: 10m
- Optional: Full bronze, full-stainless steel materials
- Max temperature: 40°C
- IP68, F insulation

GMN 50-160 / 0.75 kW




Motor Type	Three-Phase Asynchronous Motor
Motor Power	0.75 kW
Rated Speed	2900 rpm
Voltage	380 V
Rated Current	2.20 A
Frequency	50 Hz
Motor Phase	3
Service Factor	1.15
Insulation Class	F
Degree of Protection	IP68
Efficiency	57.4%


GMN 50-160 / 1.1 kW



Motor Type	Three-Phase Asynchronous Motor
Motor Power	1.1 kW
Rated Speed	2900 rpm
Voltage	380 V
Rated Current	2.70 A
Frequency	50 Hz
Motor Phase	3
Service Factor	1.15
Insulation Class	F
Degree of Protection	IP68
Efficiency	50.4%


GMN 50-160 / 1.5 kW

Motor Type	Three-Phase Asynchronous Motor
Motor Power	1,5 kW
Rated Speed	2900 rpm
Voltage	380 V
Rated Current	3.60 A
Frequency	50 Hz
Motor Phase	3
Service Factor	1.15
Insulation Class	F
Degree of Protection	IP68
Efficiency	54.8%

GMN 50-160 / 2.2 kW


Motor Type	Three-Phase Asynchronous Motor
Motor Power	2,2 kW
Rated Speed	2900 rpm
Voltage	380 V
Rated Current	5.00 A
Frequency	50 Hz
Motor Phase	3
Service Factor	1.15
Insulation Class	F
Degree of Protection	IP68
Efficiency	53.7%

GMN 50-200 / 3 kW




Motor Type	Three-Phase Asynchronous Motor
Motor Power	3 kW
Rated Speed	2900 rpm
Voltage	380 V
Rated Current	7.60 A
Frequency	50 Hz
Motor Phase	3
Service Factor	1.15
Insulation Class	F
Degree of Protection	IP68
Efficiency	51.8%

GMN 50-200 / 4 kW




Motor Type	Three-Phase Asynchronous Motor
Motor Power	4 kW
Rated Speed	2900 rpm
Voltage	380 V
Rated Current	8.60 A
Frequency	50 Hz
Motor Phase	3
Service Factor	1.15
Insulation Class	F
Degree of Protection	IP68
Efficiency	50.7%

GMN 80-200 / 3 kW




Motor Type	Three-Phase Asynchronous Motor
Motor Power	3 kW
Rated Speed	2900 rpm
Voltage	380 V
Rated Current	7.60 A
Frequency	50 Hz
Motor Phase	3
Service Factor	1.15
Insulation Class	F
Degree of Protection	IP68
Efficiency	68.7%

GMN 80-200 / 4 kW




Motor Type	Three-Phase Asynchronous Motor
Motor Power	4 kW
Rated Speed	2900 rpm
Voltage	380 V
Rated Current	8.60 A
Frequency	50 Hz
Motor Phase	3
Service Factor	1.15
Insulation Class	F
Degree of Protection	IP68
Efficiency	64.4%

GMN 100-240 / 5.5 kW




Motor Type	Three-Phase Asynchronous Motor
Motor Power	5.5 kW
Rated Speed	2900 rpm
Voltage	380 V
Rated Current	12.00 A
Frequency	50 Hz
Motor Phase	3
Service Factor	1.15
Insulation Class	F
Degree of Protection	IP68
Efficiency	68.4%

GMN 100-240 / 7.5 kW




Motor Type	Three-Phase Asynchronous Motor
Motor Power	7.5 kW
Rated Speed	2900 rpm
Voltage	380 V
Rated Current	16.10 A
Frequency	50 Hz
Motor Phase	3
Service Factor	1.15
Insulation Class	F
Degree of Protection	IP68
Efficiency	70.6%


Dimensions



GM 50-80-100 Auto
Coupling Connection



GM 80-100 Hose
Connection



GM 50-80-100 Auto
Coupling Connection

Pump	Motor		Discharge		Pump Dimensions									
	Power (kW)	IEC No.	Dn D	R"	A	B	C	e	h	H	G	g	v	w
GMV 50-160/0,75	0,75	80	50	2"	139	131	-	55	90	430	185	114	130	125
GMV 50-160/1,1	1,1	80	50	2"	139	131	-	55	90	430	185	114	130	125
GMV 50-160/1,5	1,5	90	50	2"	139	131	-	55	90	475	185	114	138	125
GMV 50-160/2,2	2,2	90	50	2"	139	131	-	55	90	475	185	114	138	125
GMV 50-200/3	3	100	50	2"	160	129	-	57	90	438	205	144	130	152
GMV 50-200/4	4	112	50	2"	160	129	-	57	90	438	205	144	130	152
GMN 50-160/0,75	0,75	80	50	2"	160	129	-	57	90	483	205	144	138	152
GMN 50-160/1,1	1,1	80	50	2"	160	129	-	57	90	483	205	144	138	152
GMN 50-160/1,5	1,5	90	50	2"	160	129	-	57	90	483	205	144	138	152
GMN 50-160/2,2	2,2	90	50	2"	160	129	-	57	90	483	205	144	138	152
GMN 50-200/3	3	100	50	2"	160	129	-	57	90	524	205	144	148	152
GMN 50-200/4	4	112	50	2"	160	129	-	57	90	529	205	144	158	152
GMN 80-200/3	3	100	80	-	282	286	324	70	132	573	200	150	148	168
GMN 80-200/4	4	112	80	-	282	286	324	70	132	578	200	150	158	168
GMN 100-240/5,5	5,5	132	100	-	359	364	418	88	170	608	225	170	158	186
GMN 100-240/7,5	7,5	132	100	-	359	364	418	88	170	657	225	170	190	186



EBITT EUROPE KFT

H-6782 Mórahalom, Szegedi út 108. Hungary Phone: +3662-280-926

Fax: +3662-280-927

export@ebitteurope.com

www.ebitteurope.com



EBITTME PUMPS ENGINES VALVES & SPARE

PARTS TRADING CO. L.L.C.

ALSUAIDI, Al Suwaidi Bldg, Al Murar - Deira

P.O. Box 453929 Dubai, UAE

emea@ebitteurope.com

+971 55-454 4187



**EBITT FINDUSTRIE (ZHE JIANG) INDUSTRIAL
ENGINEERING LIMITED COMPANY**

Hangzhou City, Zhejiang Province, China

info@ebitt.com.cn

+86 15168651662

EBITT ASIA PACIFIC PTE LTD

(EAP Singapore)

226 Jalan Eunos #04-128. Singapore 415869 Phone: (65) 98393745

info@ebitt-asiapac.com

EBITT TÜRKİYE

Koçullu Mah. Doğru Sok. No:6 34799 Çekmeköy / İstanbul

info@ebitt.com.tr

www.ebitt.com.tr