



WTM

Monoblock Horizontal Type
Single Stage Centrifugal Pumps





EBITT was born from “an idea” and turned into “an ideal”

EBITT is a specialized organization with deep expertise in pump and fluid technologies, capable of accurately interpreting both Turkish and global market demands and translating them into the right solutions.

Founded to be the ideal intersection of supply and demand in fluid technologies, EBITT goes beyond developing and marketing products. It represents a holistic business model built to meet expectations at the highest level.

More than a company, EBITT is a perspective, a system, and a spirit. Its foundation is human capital and accumulated expertise, transferred sustainably like a relay race rather than treated as a traditional capital asset.

For EBITT, innovation is not limited to technological advancement. It is a creative, value-driven approach that prioritizes responsibility, customer expectations, business efficiency, and uncompromising standards for health and safety. Every innovation emerges from this integrated understanding.

Quality, for EBITT, is a non-negotiable standard in all areas involving water and fluids—throughout life. Together with its suppliers, customers, and team members who share this philosophy, EBITT builds long-term, sustainable win-win relationships.

With this mindset, EBITT offers a wide range of products and systems, from basic solutions to process-specific equipment, serving residential, industrial, agricultural, irrigation, pool, treatment, and specialized applications. Beyond standard products, EBITT also delivers tailor-made solutions that maximize added value.

EBITT believes the ideal solution is not always the most expensive one, but the most rational—optimizing needs in the most efficient way.

Positioning itself as a trusted solution provider, EBITT stands out with its values, flexibility, and dynamic structure, ready to respond to evolving demands.

WTM

MONOBLOCK HORIZONTAL TYPE
SINGLE STAGE CENTRIFUGAL PUMPS



WTM

- Single stage, long shaft, monoblock design
- Flange type of connections (PN10/16)
- Cast iron body, cast iron or stainless steel impeller
- Mechanical sealed (for different fluids: Options available)
- IP54, F insulation
- Operating pressure: 12 bar
- Max temperature: -10 °C, +85 °C

Model	Connections		Power	
	Inlet	Outlet	kW	Hp
WTM 32-125/0,75	DN50	DN32	0,75	1
WTM 32-125/1,1	DN50	DN32	1,1	1,5
WTM 32-160/1,5	DN50	DN32	1,5	2
WTM 32-160/2,2	DN50	DN32	2,2	3
WTM 32-160/3	DN50	DN32	3	4
WTM 32-200/3	DN50	DN32	3	4
WTM 32-200/4	DN50	DN32	4	5,5
WTM 32-250/5,5	DN50	DN32	5,5	7,5
WTM 32-250/7,5	DN50	DN32	7,5	10
WTM 32-250/9,2	DN50	DN32	9,2	12,5
WTM 32-250/11	DN50	DN32	11	15
WTM 32-250/15	DN50	DN32	15	20

WTM 40-125/1,1	DN65	DN40	1,1	1,5
WTM 40-125/1,5	DN65	DN40	1,5	2
WTM 40-125/2,2	DN65	DN40	2,2	3
WTM 40-160/3	DN65	DN40	3	4
WTM 40-160/4	DN65	DN40	4	5,5
WTM 40-200/5,5	DN65	DN40	5,5	7,5
WTM 40-200/7,5	DN65	DN40	7,5	10
WTM 40-250/9,2	DN65	DN40	9,2	12,5
WTM 40-250/11	DN65	DN40	11	15
WTM 40-250/15	DN65	DN40	15	20
WTM 40-250/18,5	DN65	DN40	18,5	25

WTM 50-125/2,2	DN65	DN50	2,2	3
WTM 50-125/3	DN65	DN50	3	4
WTM 50-125/4	DN65	DN50	4	5,5
WTM 50-160/5,5	DN65	DN50	5,5	7,5
WTM 50-160/7,5	DN65	DN50	7,5	10
WTM 50-200/9,2	DN65	DN50	9,2	12,5
WTM 50-200/11	DN65	DN50	11	15
WTM 50-200/15	DN65	DN50	15	20
WTM 50-250/15	DN65	DN50	15	20
WTM 50-250/18,5	DN65	DN50	18,5	25
WTM 50-250/22	DN65	DN50	22	30
WTM 65-125/4	DN80	DN65	4	5,5
WTM 65-125/5,5	DN80	DN65	5,5	7,5

Model	Connections		Power	
	Inlet	Outlet	kW	Hp
WTM 65-125/7,5	DN80	DN65	7,5	10
WTM 65-160/9,2	DN80	DN65	9,2	12,5
WTM 65-160/11	DN80	DN65	11	15
WTM 65-160/15	DN80	DN65	15	20
WTM 65-200/15	DN80	DN65	15	20
WTM 65-200/18,5	DN80	DN65	18,5	25
WTM 65-200/22	DN80	DN65	22	30
WTM 65-250/22	DN80	DN65	22	30
WTM 65-250/30	DN80	DN65	30	40
WTM 65-250/37	DN80	DN65	37	50
WTM 65-315/45	DN80	DN65	45	60
WTM 65-315/55	DN80	DN65	55	75
WTM 65-315/75	DN80	DN65	75	100
WTM 65-315/90	DN80	DN65	90	125

WTM 80-125/4	DN100	DN80	4	5,5
WTM 80-125/5,5	DN100	DN80	5,5	7,5
WTM 80-125/7,5	DN100	DN80	7,5	10
WTM 80-160/11	DN100	DN80	11	15
WTM 80-160/15	DN100	DN80	15	20
WTM 80-160/18,5	DN100	DN80	18,5	25
WTM 80-160/22	DN100	DN80	22	30
WTM 80-200/22	DN100	DN80	22	30
WTM 80-200/30	DN100	DN80	30	40
WTM 80-250/37	DN100	DN80	37	50
WTM 80-250/45	DN100	DN80	45	60
WTM 80-250/55	DN100	DN80	55	75
WTM 80-315/45	DN100	DN80	45	60
WTM 80-315/55	DN100	DN80	55	75
WTM 80-315/75	DN100	DN80	75	100
WTM 80-315/90	DN100	DN80	90	125

Model	Connections		Power	
	Inlet	Outlet	kW	Hp
WTM 100-160/15	DN125	DN100	15	20
WTM 100-160/18,5	DN125	DN100	18,5	25
WTM 100-160/22	DN125	DN100	22	30
WTM 100-200/22	DN125	DN100	22	30
WTM 100-200/30	DN125	DN100	30	40
WTM 100-200/37	DN125	DN100	37	50
WTM 100-250/45	DN125	DN100	45	60
WTM 100-250/55	DN125	DN100	55	75
WTM 100-250/75	DN125	DN100	75	100
WTM 100-250/90	DN125	DN100	90	125
WTM 100-315/75	DN125	DN100	75	100
WTM 100-315/90	DN125	DN100	90	125
WTM 100-315/110	DN125	DN100	110	150
WTM 100-315/132	DN125	DN100	132	180
WTM 100-315/160	DN125	DN100	160	220

WTM 125-200/45	DN150	DN125	45	60
WTM 125-200/55	DN150	DN125	55	75
WTM 125-200/75	DN150	DN125	75	100
WTM 125-250/55	DN150	DN125	55	75
WTM 125-250/75	DN150	DN125	75	100
WTM 125-250/90	DN150	DN125	90	125

Model	l/min m³/h	Q (m³/h)																	
		0	100	150	250	300	400	450	600	700	800	900	1200	1400	1500	1800	2000	2300	3000
		0	6	9	15	18	24	27	36	42	48	54	72	84	90	108	120	138	180
WTM 32-125/0,75	H (m)	17,5	16,7	15	12	9													
WTM 32-125/1,1		22	21	19,7	16,5	14,5	9												
WTM 32-160/1,5		25,4	23,7	22,5	18,5	15,8													
WTM 32-160/2,2		31	29,6	28,5	24,5	22	15												
WTM 32-160/3		35	34,3	32,5	28	25,5	19	15											
WTM 32-200/3		44,2	42	39,8	35,2	32,2	24,6	19,8											
WTM 32-200/4		54,5	52	50	45,5	42,3	35	30,3											
WTM 32-250/5,5		60	59,5	59	55	50,2	34,5												
WTM 32-250/7,5		69,5	69	68,5	66	63	53												
WTM 32-250/9,2		75	75	74,5	72	69	59												
WTM 32-250/11		90	89,5	88	82	78	66												
WTM 32-250/15		97	96,5	96	90	86	73												

WTM 40-125/1,1	H (m)	14,7				13	11,5	10,1	5,8										
WTM 40-125/1,5		18,1				17	15	13,9	10	6									
WTM 40-125/2,2		24,5				23,2	21,5	20,2	16	13	8,3								
WTM 40-160/3		31,8				29,5	27,5	26,3	21,5	17,5									
WTM 40-160/4		38				36	34	33	28,5	25	20,1								
WTM 40-200/5,5		46				43,8	41,3	40,1	35	30									
WTM 40-200/7,5		57				53,6	51,5	50	45	41	36,5								
WTM 40-250/9,2		64				59	56,5	55	49,5	45	39,8								
WTM 40-250/11		72				67,5	65	63,5	57,5	52,2	47								
WTM 40-250/15		84,5				79,3	77,3	75,2	70	66	61								
WTM 40-250/18,5		90				85,5	82,8	80,7	75,8	70,5	66,5								

WTM 50-125/2,2	H (m)	17							15,4	14	12,8	11,5	6,5						
WTM 50-125/3		20							18,8	18	17	15,6	11						
WTM 50-125/4		24							23,1	23	21,5	20,3	15,8	11,8					
WTM 50-160/5,5		32							30,6	30	28	26,6	20,5	14,8					
WTM 50-160/7,5		40							38	37	36	34,4	29	24	21				
WTM 50-200/9,2		50,5							46,8	45	43	40,9	32,5	26,7					
WTM 50-200/11		57,5							53,5	52	50	47,5	40	34	29				
WTM 50-200/15		62							58	56,5	54,5	52	44,5	39	35,5				
WTM 50-250/15		68,5							64	63	61,5	59	50	41					
WTM 50-250/18,5		79							75,8	74,8	74	71,5	63,5	55,5	47				
WTM 50-250/22		89,5							86	85,3	84	81,5	73,5	63,5	57				

WTM 65-125/4	H (m)	19								17,3	16,8	14,5	13	11,8					
WTM 65-125/5,5		23								21,3	20,9	19	17,5	16,7	13,7				
WTM 65-125/7,5		27								26	25,6	24,5	23	22,5	20	18			
WTM 65-160/9,2		33									31,5	30	28	27,1	24	21,5			
WTM 65-160/11		36									34,5	33	31,5	30,8	28	25,5			
WTM 65-160/15		42									41	40	38,5	37,8	35	33	29,5		
WTM 65-200/15		45									45,5	43	41	40,2	36,5	34			
WTM 65-200/18,5		52									52,3	51	49	48,2	44,5	42			
WTM 65-200/22		59									59,5	58	56	55	52	49,5	44,5		
WTM 65-250/22		64,8									64,7	62	60	58,5	53	50			
WTM 65-250/30		80									79,8	77,5	75,5	74,5	70	66	58		
WTM 65-250/37		92									90,5	88,5	87	85	80,5	78	68		

Model	Q (m³/h)														
	l/min	0	1000	1500	2000	2400	3000	3333	3500	3667	4000	4667	5000	6000	6667
	m³/h	0	60	90	120	144	180	200	210	220	240	280	300	360	400
WTM 65-315/45	H (m)	102	98	94,5	90	83									
WTM 65-315/55		122	120	114,5	110	100	76								
WTM 65-315/75		141	141	134,5	130	120	96	78	65,5						
WTM 65-315/90		151	150	144,5	140	130	106	88	75,5						


WTM 80-125/4	H (m)	17	15	12,3	7,5										
WTM 80-125/5,5		21	19,6	17,4	13,4	9,5									
WTM 80-125/7,5		26	24,8	23	19,5	16,5									
WTM 80-160/11		28	27	27,3	24,5	21,1	16								
WTM 80-160/15		34	32,6	32,5	30,2	27	22,1	18,5	16,7						
WTM 80-160/18,5		39	38,5	38	36,7	33,6	28,8	25,3	23,5						
WTM 80-160/22		44	43,5	43	41,7	38,6	33,8	30,3	28,5						
WTM 80-200/22		48	47,7	47,5	43,5	39,2	32,5	27,2	24,5						
WTM 80-200/30		60	59,7	59,5	57	53,1	47	42,7	40,5						
WTM 80-250/37		71,5	70,9	70,5	65,5	59,3	51	43,2	38,5						
WTM 80-250/45		88	86,7	86	83,6	78,5	70,5	60	51						
WTM 80-250/55		94,5	94,5	94,5	91,8	87	79,5	72,1	68,3						
WTM 80-315/45		85	84	82,6	82	78	68,3	61	56						
WTM 80-315/55		98	97	95,6	95	91	81,3	74	69						
WTM 80-315/75		124	123	121,6	121	117	107,3	100	95	90	80,8				
WTM 80-315/90		144	143	141,6	141	137	127,3	120	115	110	100,8				

WTM 100-160/15	H (m)	35	33,5	32,5	30	27,8	24,5	21,5	20	18,3	15				
WTM 100-160/18,5		38,5	37,5	36,5	34,3	32,2	29	25,7	24	22	18				
WTM 100-160/22		44,3	41	40	37,6	35,2	31,5	28,5	27	25,3	22				
WTM 100-200/22		38,5	36,7	35,7	33,8	31,7	28,5	26,8	26	25	22,9	16,3	13		
WTM 100-200/30		44,5	42,5	42	40,2	38,8	36,7	34,2	33	31,7	29	21,7	18		
WTM 100-200/37		55	53	51	50,6	49,2	47	45	44	42,8	40,5	32,8	29		
WTM 100-250/45		65	65	64	63	61	58	56	55	53,3	50	39	33,5		
WTM 100-250/55		77	76	75,5	75	73,8	72	71,7	71,5	70,7	69	62,3	59		
WTM 100-250/75		91	91	90,5	89,7	88	85,5	84	83,3	81,5	78	71,7	68,5	48	
WTM 100-250/90		100	100	99,5	98,7	97	94,5	93	92,3	90,5	87	80,7	77,5	57	
WTM 100-315/75		80			78,5	76,7	74	73	72,8	72,5	70,7	68	64	52	
WTM 100-315/90		100			98,5	96,7	94	93	98	92,5	90,7	88	84	72	
WTM 100-315/110		118			116,5	114,7	112	111	110,8	110,5	108,7	106	102	90	
WTM 100-315/132		129			127,5	125,7	123	122	121,8	121,5	119,7	117	112	101	
WTM 100-315/160		148			146,5	144,7	142	141	140,8	140,5	138,7	136	132	120	


WTM 125-200/45	H (m)	39,8			39,3	39,2	39	38,9	38,9	38,8	37,5	35	34	28,6	25
WTM 125-200/55		50,5			49,3	49,2	49	48,9	48,9	48,8	47,5	45	44	38,6	35
WTM 125-200/75		61,5			60,3	60,2	60	59,9	59,9	59,8	58,5	56	55	49,6	46
WTM 125-250/55		70			67	66	64	63	62	61	59,5	54	50,5		
WTM 125-250/75		80			76,5	75,5	74	73	72	71,5	70	67	65	56	
WTM 125-250/90		87			84	82,2	81	79,5	79	78	77	73,5	71,5	65	60

Performance Curves

WTM 32-125 / 0.75 kW




WTM 32-125 / 1.1 kW




Performance Curves

WTM 32-160 / 1.5 kW




WTM 32-160 / 2.2 kW




Performance Curves

WTM 32-160 / 3 kW




WTM 32-200 / 3 kW




Performance Curves

WTM 32-200 / 4 kW




WTM 32-250 / 5.5 kW




Performance Curves

WTM 32-250 / 7.5 kW




WTM 32-250 / 11 kW




Performance Curves

WTM 32-250 / 15 kW




WTM 40-125 / 1.1 kW




Performance Curves

WTM 40-125 / 1.5 kW




WTM 40-125 / 2.2 kW




Performance Curves

WTM 40-160 / 3 kW




WTM 40-160 / 4 kW




Performance Curves

WTM 40-200 / 5.5 kW




WTM 40-200 / 7.5 kW




Performance Curves

WTM 40-250 / 9.2 kW




WTM 40-250 / 11 kW




Performance Curves

WTM 40-250 / 15 kW




WTM 40-250 / 18.5 kW




Performance Curves

WTM 50-125 / 2.2 kW




WTM 50-125 / 4 kW




Performance Curves

WTM 50-125 / 3 kW




WTM 50-160 / 5.5 kW




Performance Curves

WTM 50-160 / 7.5 kW




WTM 50-200 / 9.2 kW




Performance Curves

WTM 50-200 / 11 kW




WTM 50-200 / 15 kW




Performance Curves

WTM 50-250 / 15 kW




WTM 50-250 / 18.5 kW




Performance Curves

WTM 50-250 / 22 kW




WTM 65-125 / 4 kW




Performance Curves

WTM 65-125 / 5.5 kW




WTM 65-125 / 7.5 kW




Performance Curves

WTM 65-160 / 9.2 kW




WTM 65-160 / 11 kW




Performance Curves

WTM 65-160 / 15 kW




WTM 65-200 / 15 kW




Performance Curves

WTM 65-200 / 18.5 kW




WTM 65-200 / 22 kW




Performance Curves

WTM 65-250 / 22 kW




WTM 65-250 / 30 kW




Performance Curves

WTM 65-250 / 37 kW




WTM 65-315 / 45 kW




Performance Curves

WTM 65-315 / 55 kW




WTM 65-315 / 75 kW




Performance Curves

WTM 65-315 / 90 kW




WTM 80-125 / 4 kW




Performance Curves

WTM 80-125 / 5.5 kW




WTM 80-125 / 7.5 kW




Performance Curves

WTM 80-160 / 11 kW




WTM 80-160 / 15 kW




Performance Curves

WTM 80-160 / 18.5 kW




WTM 80-160 / 22 kW




Performance Curves

WTM 80-200 / 22 kW




WTM 80-200 / 30 kW




Performance Curves

WTM 80-250 / 37 kW




WTM 80-250 / 45 kW




Performance Curves

WTM 80-250 / 55 kW




WTM 80-315 / 45 kW




Performance Curves

WTM 80-315 / 55 kW




WTM 80-315 / 75 kW




Performance Curves

WTM 80-315 / 90 kW




WTM 100-160 / 15 kW




Performance Curves

WTM 100-160 / 18.5 kW




WTM 100-160 / 22 kW




Performance Curves

WTM 100-200 / 22 kW




WTM 100-200 / 30 kW




Performance Curves

WTM 100-200 / 37 kW




WTM 100-250 / 45 kW




Performance Curves

WTM 100-250 / 55 kW




WTM 100-250 / 75 kW




Performance Curves

WTM 100-250 / 90 kW




WTM 100-315 / 75 kW




Performance Curves

WTM 100-315 / 90 kW




WTM 100-315 / 110 kW




Performance Curves

WTM 100-315 / 132 kW




WTM 100-315 / 160 kW




Performance Curves

WTM 125-200 / 45 kW




WTM 125-200 / 55 kW




Performance Curves

WTM 125-200 / 75 kW




WTM 125-250 / 55 kW




Performance Curves

WTM 125-250 / 75 kW



WTM 125-250 / 90 kW





EBITT EUROPE KFT

H-6782 Mórahalom, Szegedi út 108. Hungary Phone: +3662-280-926

Fax: +3662-280-927

export@ebitteurope.com

www.ebitteurope.com



**EBITTME PUMPS ENGINES VALVES & SPARE
PARTS TRADING CO. L.L.C.**

ALSUAIDI, Al Suwaidi Bldg, Al Murar - Deira

P.O. Box 453929 Dubai, UAE

emea@ebitteurope.com

+971 55-454 4187



**EBITT FINDUSTRIE (ZHE JIANG) INDUSTRIAL
ENGINEERING LIMITED COMPANY**

Hangzhou City, Zhejiang Province, China

info@ebitt.com.cn

+86 15168651662

**EBITT ASIA PACIFIC PTE LTD
(EAP Singapore)**

226 Jalan Eunos #04-128, Singapore 415869 Phone: (65) 98393745

info@ebitt-asiapac.com

EBITT TÜRKİYE

Koçullu Mah. Doğru Sok. No:6 34799 Çekmeköy / İstanbul

info@ebitt.com.tr

www.ebitt.com.tr